

## Table of Contents

<b>Preface</b>	<b>1</b>
----------------	----------

### Section I: Risk assessment

<b>1.1 Assessing risks of pesticides to bees: putting the science into context to inform regulatory decision making</b>	<b>8</b>
<i>Thomas Steeger, Reuben Baris, Thomas Moriarty, Connie Hart, Wayne Hou</i>	
<b>1.2 Expectations of risk assessors on the work of ICPPR in the context of a new regulation and a new guidance document</b>	<b>17</b>
<i>Véronique Poulsen</i>	
<b>1.3 Impact of non-professional use of plant protection products on honeybees in Belgium</b>	<b>21</b>
<i>Michael Houbraken, Davina Fevery, Pieter Spanoghe</i>	
<b>1.4 Potential routes of exposure as a foundation for a risk assessment scheme: a Conceptual Model</b>	<b>22</b>
<i>John R. Purdy</i>	
<b>1.5 Cyantraniliprole: Pollinator profile of the novel insecticides under laboratory, semi-field and field conditions</b>	<b>28</b>
<i>Axel Dinter, Alan Samel</i>	
<b>1.6 Evaluating honeybee protection goals using the BEEHAVE model</b>	<b>50</b>
<i>Pernille Thorbek, Peter Campbell, Helen Thompson</i>	
<b>1.7 The advantage of a toxicokinetic model of the honey bee colony in the context of the risk assessment of plant protection products</b>	<b>51</b>
<i>Kerstin Hörig, Christian Maus, Alexander Nikolakis, Hans-Toni Ratte, Martina Roß-Nickoll, Walter Schmitt, Thomas G. Preuss</i>	
<b>1.8 Weeds in the treated field - a realistic scenario for pollinator risk assessment?</b>	<b>56</b>
<i>Samuel K. Maynard, Ruth Albuquerque, Christoph Weber, Georg von Mérey, Michael F. Geiger, Roland Becker, Juergen Keppler, Joerg Masche, Kate Brougham &amp; Mike Coulson</i>	
<b>1.9 Acute toxicities and safety evaluation of chiral fipronil to <i>Apis mellifera</i> L. and <i>Trichogramma japonicum</i> Ashmead</b>	<b>63</b>
<i>Cang Tao, Wang Xinquan, Wang Yanhua, Wu Changxing, Wu Shenggan, Chen Liping, Yu Ruixian, Zhao Xueping</i>	

### Section II: Developments in laboratory, semi-field and field testing for honeybees

<b>2.1 Developments in testing methods for use in risk assessment with the new EFSA guidance document</b>	<b>64</b>
<i>Csaba Szentes</i>	

<b>2.2 Proposal for a new OECD guideline for the testing of chemicals on adult honey bees (<i>Apis mellifera</i> L.) in a 10 day chronic feeding test in the laboratory and results of the recent ring test 2014</b>	<b>69</b>
<i>Annette Kling, Stephan Schmitzer</i>	
<b>2.3 The effects of fenoxycarb in a chronic Oomen feeding test – results of a ring-test*</b>	<b>75</b>
<i>Johannes Lückmann, Stephan Schmitzer</i>	
<b>2.4 A bee brood study with relevant test concentrations using glyphosate as an example</b>	<b>82</b>
<i>Georg von Mérey, S. Levine, Janine Doering, Steven Norman, Philipp Manson, Peter Sutton, Helen Thompson</i>	
<b>2.5 Effectiveness of method improvements of OECD GD 75 – Evaluation by the ICP-PR Bee Brood Working Group*</b>	<b>83</b>
<i>Roland Becker, Johannes Lückmann, Jens Pistorius</i>	
<b>2.6 Design and analysis of field studies with bees: a critical review of the draft EFSA guidance</b>	<b>93</b>
<i>Frank Bakker</i>	
<b>2.7 Quantitative analytical tools for bee health (<i>Apis mellifera</i>) assessment</b>	<b>103</b>
<i>Dorit Avni, Merav Gleit Kielmanowicz, Alex Inberg, Yael Golani, Inbar Maayan Lerner, Guy Gafni, Tomer Mahler</i>	
<b>2.8 Guidance document on the honeybee (<i>Apis mellifera</i>) brood test under field conditions</b>	<b>111</b>
<i>Hervé Giffard, Gerald Huat</i>	
<b>2.9 Electronic beehive monitoring – applications to research</b>	<b>121</b>
<i>Sandra Kordić Evans</i>	
<b>2.10 A methodology to assess the effects of plant protection product on the homing flight of honeybee foragers</b>	<b>130</b>
<i>Julie Fourrier, Julie Petit, Dominique Fortini, Pierrick Aupinel, Clémence Morhan, Cyril Vidau, Stéphane Grateau, Mickaël Henry, Axel Decourtye</i>	
<b>2.11 Available methods for the sampling of nectar, pollen, and flowers of different plant species</b>	<b>131</b>
<i>Silvio Knäbe, Pierre Mack, Ang Chen<sup>2</sup>, Sigrun Bocksch</i>	
<b>2.12 The impact of imidacloprid and the interaction between imidacloprid and pollen scarcity on vitality and hibernation of honey bee colonies</b>	<b>139</b>
<i>J. van der Steen, C. Hok-Ahin, B. Cornelissen</i>	
<b>2.13 Fipronil effect on the frequency of anomalous brood in honeybee reared <i>in vitro</i></b>	<b>140</b>
<i>Carina A.S. Silva, Elaine C.M. Silva-Zacarin, Caio E.C. Domingues, Fábio C. Abdalla, Osmar Malaspina, Roberta C.F. Nocelli.</i>	
<b>2.14 Single versus double field rate: Do different rates of fenoxycarb in chronic Oomen bee brood feeding tests cause different effects sizes?</b>	<b>147</b>
<i>Sabine Hecht-Rost, Annika Alscher, Christian Claßen, Andrea Klockner, Tobias Schlotz, Jörg Staffel, Johannes Lückmann</i>	

<b>2.15 Negative sublethal effect of the insecticide thiamethoxam on honeybees</b>	<b>151</b>
<i>Ahmed Hichem Menail, Wided Fella Bouchema, Zineb Mansouri, Razika Maoui, Wahida Loucif-Ayad</i>	

<b>2.16 Semi-field and field testing on the honey bee working group</b>	<b>152</b>
<i>Frank Bakker, Heino Christl, Mike Coulson, Axel Dinter, Hervé Giffard, Nicole Hanewald, Gavin Lewis, Mark Miles, Jens Pistorius, Job van Praagh, Marit Randall, Christine Vergnet, Connie Hart, Christoph Sandrock, Thomas Steeger</i>	

## Section III: Methods and risk assessment for seed treatments and guttation

<b>3.1 Dust drift- from exposure to risk for honey bees</b>	<b>154</b>
<i>Jens Pistorius, Matthias Stähler, Pablo-T. Georgiadis, Detlef Schenke, Udo Heimbach</i>	

<b>3.2 Neonicotinoids and bees: A large scale field study investigating residues and effects on honeybees, bumblebees and solitary bees in oilseed rape grown from clothianidin-treated seed</b>	<b>155</b>
<i>Nadine Kunz, Malte Frommberger, Anke C. Dietzsch, Ina P. Wirtz, Matthias Stähler, Eva Frey, Ingrid Illies, Winfried Dyrba, Abdulrahim Alkassab, Jens Pistorius</i>	

<b>3.3 Honey bee collected pollen: forage species importance and levels of neonicotinoid contamination</b>	<b>159</b>
<i>Mary A. Harris, Reid Palmer, Joel Coats</i>	

<b>3.4 Neonicotinoid seed treatment products – Occurrence and relevance of guttation for honeybee colonies</b>	<b>160</b>
<i>Alexander Nikolakis, Juergen Keppler, Mark Miles, Ralf Schoening</i>	

<b>3.5 Effects of a neonicotinoid seed treatment in winter oilseed rape (active substance clothianidin) on colony development, longevity, and development of hypopharyngeal glands of honey bees (<i>Apis mellifera</i> L.) in field, semi-field and cage tests.</b>	<b>168</b>
<i>Eva Blum, Ingrid Illies, Stephan Härtel, Jens Pistorius</i>	

<b>3.6 Cyantraniliprole: Low risk for bees resulting from seed treatment use in oilseed rape</b>	<b>169</b>
<i>Axel Dinter, Alan Samel</i>	

<b>3.7 Neonicotinoids and honey bee health - The effect of the neonicotinoid clothianidin applied as a seed dressing in <i>Brassica napus</i> on pathogen and parasite prevalence and loads in free-foraging adult honeybees (<i>Apis mellifera</i>)</b>	<b>170</b>
<i>Julia Goss, Maj Rundlöf, Joachim de Miranda, Riccardo Bommarco, Thorsten R. Pedersen, Henrik G. Smith, Ingemar Fries</i>	

<b>3.8 New field application method to assess the effects on honeybees (<i>Apis mellifera</i> L.) using a purpose-built dust applicator in flowering crops</b>	<b>171</b>
<i>Jens Pistorius, Malte Frommberger, Matthias Stähler, Udo Heimbach, Anja Wehner, Silvio Knäbe</i>	

<b>3.9 Distance a useful risk mitigation measure for honeybees exposed to frequently guttating seed-treated fields?</b>	<b>172</b>
<i>Ina Wirtz, Detlef Schenke, Wolfgang Kirchner, Jens Pistorius</i>	

## Section IV: Developments in laboratory, semi-field and field testing for non-*Apis* bees

<b>4.1 Acute adult first tier toxicity tests <i>Bombus</i> spp and <i>Osmia</i> spp.</b>	<b>173</b>
<i>J. van der Steen, Nicole Hanewald, I. Roessink</i>	
<b>4.2 Evaluating the feasibility of using the red mason bee (<i>Osmia bicornis</i> L.) in different experimental setups</b>	<b>174</b>
<i>Anke C. Dietzsch, Nadine Kunz, Ina P. Wirtz, Malte Frommberger, Jens Pistorius</i>	
<b>4.3 Adaptation of the honeybee (<i>Apis mellifera</i>) tunnel and field test systems (EPPO 170 &amp; OECD 75) for bumblebee (<i>Bombus</i> spp) testing</b>	<b>179</b>
<i>Christoph Sandrock, Marco Candolfi</i>	
<b>4.4 Lethal and sublethal effects of azadirachtin on the bumblebee <i>Bombus terrestris</i> (Hymenoptera: Apidae)</b>	<b>180</b>
<i>Wagner F. Barbosa, Laurens De Meyer, Raul Narciso C. Guedes, Guy Smagghe</i>	
<b>4.5 Effect of the microbial biopesticides Prestop-Mix and BotaniGard on respiratory physiology and longevity of bumblebees</b>	<b>191</b>
<i>Marika Mänd, Reet Karise, Riin Muljar, Guy Smagghe</i>	
<b>4.6 Oral toxicity of dimethoate to adult <i>Osmia cornuta</i> using an improved laboratory feeding method for solitary bees</b>	<b>192</b>
<i>Silvia Hinarejos, Xavier Domene, Jordi Bosch</i>	
<b>4.7 Workshop summary: Bumble bee ecotoxicology and risk assessment</b>	<b>193</b>
<i>Ana R. Cabrera, Maria Teresa Almanza, Christopher Cutler, David L. Fischer, Silvia Hinarejos, Gavin Lewis, Daniel Nigro, Allen Olmstead, Jay Overmyer, Daniel Potter, Nigel E. Raine, Cory Stanley-Stahr, Helen Thompson, Jozef van der Steen</i>	
<b>4.8 Compilation of results of the ICPPR non-<i>Apis</i> working group with a special focus on the bumblebee acute oral and contact toxicity ring test 2014 ICPPR Non-<i>Apis</i> Working Group</b>	<b>194</b>
<i>N. Hanewald, I. Roessink, S. Mastitsky, K. Amsel, L. Bortolotti, M. Colli, David Gladbach, S. Haupt, L. Jeker, S. Kimmel, C. Molitor, E. Noel, H. Schmitt, S. Wilkins, J. van der Steen</i>	
<b>4.9 Methodological aspects of semi-field tunnel studies with bumblebees</b>	<b>207</b>
<i>Maria Teresa Almanza, David Gladbach, Alexander Nikolakis</i>	
<b>4.10 Chlorantraniliprole: Lack of effects on bumblebee reproduction (<i>Bombus terrestris</i>) under semi-field conditions in <i>Phacelia tanacetifolia</i></b>	<b>208</b>
<i>Axel Dinter, Kristin E. Brugger<sup>2</sup></i>	
<b>4.11 Pesticide Risk Assessment: Comparing sensitivities of ‘non-<i>Apis</i>’ bees with the honeybee (<i>Apis mellifera</i> L.)</b>	<b>218</b>
<i>Lea Franke, Lukas Jeker, Christina Rehberg, Peter Stahlschmidt, Carsten A. Brühl</i>	
<b>4.12 Effects of imidacloprid in combination with <math>\lambda</math>-cyhalothrin on the model pollinator <i>Bombus terrestris</i> at different levels of complexity</b>	<b>219</b>
<i>Maxime Eeraerts, Bob Ceuppens, Jana Asselman, Karel De Schamphelaere, Guy Smagghe</i>	

<b>4.13 - Comparing effects on honeybees and bumblebees after application of contaminated dust in semi-field and field conditions</b>	<b>225</b>
<i>Malte Frommberger, Pablo-T. Georgiadis, Nadine Kunz, Anke C. Dietzsch, Ina Patrizia Wirtz, Matthias Stähler, Udo Heimbach, Jens Pistorius</i>	
<b>4.14 Experimental designs for field and semi-field studies with solitary wild bees</b>	<b>226</b>
<i>G. Bosse, T. Jütte, O. Klein</i>	
<b>4.15 Insecticidal activity of a PPP as a criterion to trigger laboratory studies with non-<i>Apis</i> bees? Make a BeeCision!</b>	<b>230</b>
<i>Oliver Körner, Sonja Haaf, Fabian Schroeder, Sabine Hecht-Rost, Michael Faupel, Johannes Lückmann</i>	
<b>4.16 Does insecticide drift into adjacent wildflower plantings affect bumble bee (<i>Bombus impatiens</i> L.) foraging activity and reproduction?</b>	<b>232</b>
<i>Emily May, Clara Stuligross, Rufus Isaacs</i>	
<b>4.17 Effects of the agrochemicals trinexapac-ethyl and lambda-cyhalothrin on the pollinator <i>Bombus terrestris</i></b>	<b>233</b>
<i>Bob Ceuppens, Tim Vleugels, Gerda Cnops, Isabel Roldan-Ruiz, Guy Smagghe</i>	
<b>4.18 Toxicity assessment of mixtures of neonicotinoids and systemic fungicides or biopesticides in bumblebees (<i>Bombus terrestris</i>)</b>	<b>234</b>
<i>Laurian Parmentier, Eline Muys, Sara Coppin, Laurens Demeyer, Jana Asselman, Karel De Schampelaere, Guy Smagghe</i>	
<b>4.19 Method development of a semi-field study using micro-tunnels with the solitary bee species <i>Osmia bicornis</i></b>	<b>235</b>
<i>Christina Rehberg, Lukas Jeker, Sibylle Kaiser, Peter Stahlschmidt, Carsten A. Brühl</i>	
<b>4.20 Reduced-risk insecticides in Neotropical stingless bee species: impact on survival and activity</b>	<b>236</b>
<i>Hudson Vaner V. Tomé, Wagner F. Barbosa, Alberto S. Corrêa, Lessando M. Gontijo, Gustavo F. Martins, Raul Narciso C. Guedes</i>	

## Section V: Risk management

<b>5.1 Risk management for insect pollinators in the United States: past practices, current developments, and future directions</b>	<b>247</b>
<i>Erik Johansen</i>	
<b>5.2 Health Canada: Pollinator Protection and Pesticides</b>	<b>253</b>
<i>Connie Hart, Mary Mitchell, Janice Villeneuve</i>	
<b>5.3 Using diversity to decrease the risks of plant-incorporated pesticides to pollinators</b>	<b>260</b>
<i>Christina L. Mogren, Kristine T. Nemec, Michael M. Bredeson, Jonathan G. Lundgren</i>	
<b>5.4 Risk management for pollinators: regulatory context, overview of risk management tools and perspectives</b>	<b>261</b>
<i>Anne Alix, Claudia Garrido, Mark Miles, Erik Johansen, Burkhard Golla</i>	

<b>5.5 Managing crop margins for enhancing the presence of pollinators and natural enemies - the Spanish approach</b>	<b>263</b>
<i>Elisa Viñuela, Celeste Azpiazu, Raquel Del Castillo, Ignacio Morales, Ángeles Adán, German Canomanuel, Alberto Fereres</i>	

## Section VI: Monitoring

<b>6.1 Honey bee poisoning incidents in Germany</b>	<b>264</b>
<i>Jens Pistorius, David Thorbahn, Gabriela Bischoff</i>	
<b>6.2 Honeybee colony disorder in crop areas: the role of pesticides and viruses</b>	<b>265</b>
<i>Noa Simon-Delso, Gilles San Martin, Etienne Bruneau, Laure-Anne Minsart, Coralie Mouret, Louis Hautier</i>	
<b>6.3 Survey study on fruit pollination practices and their impact on honeybee health in the Flemish region (2012-2013)</b>	<b>266</b>
<i>Tim Belien, Tom Thys, Dany Bylemans</i>	
<b>6.4 Beeswax residue analysis points to an alarming contamination: a Belgian case study</b>	<b>275</b>
<i>Jorgen Ravoet, Wim Reybroeck, Lina De Smet, Dirk C. de Graaf</i>	
<b>6.5 Monitoring in-hive residues of neonicotinoids in relation to bee health status</b>	<b>276</b>
<i>John R. Purdy</i>	
<b>6.6 Monitoring effects of pesticides on pollinators - a review of methods and outcomes by the ICPPR working group</b>	<b>284</b>
<i>Anne Alix, Claudia Garrido</i>	
<b>6.7 Hydroxymethylfurfural induces reactive oxygen species (ROS)-dependent activation of the Toll pathway in honey bees</b>	<b>296</b>
<i>Lina De Smet, Claude Saegerman, Jorgen Ravoet and Dirk C. de Graaf</i>	

## Section VII: Summary of the 12<sup>th</sup> symposium

<b>7.1 Synopsis of the 12th International Symposium 'Hazards of Pesticides to Bees'</b>	<b>297</b>
<i>Anne Alix</i>	
<b>7.2 List of participants</b>	<b>300</b>
<b>7.3 Glossary</b>	<b>306</b>
<b>7.4 Authors</b>	<b>308</b>